

AUTHORS

- Allen, Larry G.: see Horn, Allen, and Hagner, 180-182
- Ames, Jack A.: see Wendell, Ames, and Hardy, 89-100
- Baber, Daniel W.: Mortality in California Mule Deer at a Drying Reservoir: The Problem of Siltation at Water Catchments, 248-249
- Bleich, Vernon C.: see Bowyer and Bleich, 53-57
- Bleich, Vernon C.: see Bowyer and Bleich, 240-247
- Boehlert, George W., and Mary M. Yoklavich: Variability in Age Estimates in *Sebastes* as a Function of Methodology, Different Readers, and Different Laboratories, 210-224
- Bowyer, R. Terry, and Vernon C. Bleich: Distribution and Taxonomic Affinities of Mule Deer, *Odocoileus hemionus*, from Anza-Borrego Desert State Park, California, 53-57
- Bowyer, R. Terry, and Vernon C. Bleich: Effects of Cattle Grazing on Selected Habitats of Southern Mule Deer, 240-247
- Burton, Timothy S.: see Kie, Burton, and Menke, 78-88
- Burton, Timothy S.: see Kie, Burton, Menke, and Grenfell, Jr., 183-186
- Cooper, James J., and Steven Vigg: Extreme Mercury Concentrations of a Striped Bass, *Morone saxatilis*, With a Known Residence Time in Lahontan Reservoir, Nevada, 190-192
- Dierauf, L. A.: A Northern Fur Seal, *Callorhinus ursinus*, Found in the Sacramento-San Joaquin Delta, 189
- Dotson, Ronald C., and John E. Graves: Biochemical Identification of a Bluefin Tuna Establishes a New California Size Record, 62-64
- Egaña, Alfredo Cea, and John E. McCosker: Attacks on Divers by White Sharks in Chile, 173-179
- Erman, Don C.: see Marrin, Erman, and Vondracek, 4-10
- Geibel, John J., and Daniel J. Miller: Estimation of Sea Otter, *Enhydra lutris*, Population, With Confidence Bounds, from Air and Ground Counts, 225-233
- Graves, John E.: see Dotson and Graves, 62-64
- Grenfell, William E., Jr.: see Kie, Burton, Menke, and Grenfell, Jr., 183-186
- Hagner, F. Dennis: see Horn, Allen, and Hagner, 180-182
- Hallacher, Leon E.: Relocation of Original Territories by Displaced Black-and-yellow Rockfish, *Sebastes chrysomelas*, from Carmel Bay, California 158-162
- Hardy, Robert A.: see Wendell, Ames, and Hardy, 89-100
- Horn, Michael H., Larry G. Allen, and F. Dennis Hagner: Ecological Status of Striped Bass, *Morone saxatilis*, in Upper Newport Bay, California, 180-182
- Houck, Warren J.: see Smith and Houck, 60-62
- James, Anthony H., James P. O'Brien, and David K. James: *Dipodomys californicus* in Sierra Valley, Plumas County, California, 58
- James, David K.: see James, O'Brien, and James, 58
- Jessup, David A., and Donald B. Koch: Surgical Implantation of a Radiotelemetry Device in Wild Black Bears, *Ursus americanus*, 163-166
- Keating, Thomas: see Lea, Keating, Van Dykhuizen, and Lehtonen, 250-251
- Kershner, Jeffrey L., and Robert R. Van Kirk: Characteristics and Attitudes of Some Klamath River Anglers, 196-209
- Kie, John G., Timothy S. Burton, and John W. Menke: Comparative Condition of Black-tailed Deer, *Odocoileus hemionus columbianus*, in Two Herds in Trinity County, California, 78-88
- Kie, John G., Timothy S. Burton, John W. Menke, and William E. Grenfell, Jr.: Food Habits of Black-tailed Deer, *Odocoileus hemionus columbianus*, in Trinity County, California, 183-186
- Koch, Donald B.: see Jessup and Koch, 163-166
- Kopache, Mark E.: see Siegfried and Kopache, 18-38
- Kott, Edward: see Vladikov and Kott, 121-127
- Lane, Robert S.: New Host Records of Ticks (Acari: Argasidae and Ixodidae) Parasitizing Wildlife in California and a Case of Tick Paralysis in a Deer, 11-17
- Lea, Robert N., Thomas Keating, Gilbert Van Dykhuizen, and Phillip B. Lehtonen: Records of Goosefishes (Family: Lophiidae, Genus *Lophiodon*) from California Waters, 250-251
- Lehtonen, Phillip B.: see Lea, Keating, Van Dykhuizen, and Lehtonen, 250-251
- Mayer, Kenneth E.: A Review of Selected Remote Sensing and Computer Technologies Applied to Wildlife Habitat Inventories, 101-112
- Marrin, Donn L., Don C. Erman, and Bruce Vondracek: Food Availability, Food Habits, and Growth of Tahoe Sucker, *Catostomus tahoensis*, from a Reservoir and a Natural Lake, 4-10

- McCosker, John E.: see Egaña and McCosker, 173-179
- McCourt, Richard M., and Donald A. Thomson: Cleaning Behavior of the Juvenile Panamic Sergeant Major, *Abudefduf troschelii* (Gill), With a Résumé of Cleaning Associations in the Gulf of California and Adjacent Waters, 234-239
- Menke, John W.: see Kie, Burton, and Menke, 78-88
- Menke, John W.: see Kie, Burton, Menke, and Grenfell, Jr., 183-186
- Michael, John H., Jr.: Additional Notes on the Repeat Spawning by Pacific Lamprey, 186-188
- Miller, Daniel J.: see Geibel and Miller, 225-233
- O'Brien, James P.: see James, O'Brien, and James, 58
- Rothe, K. R. Gina: Variation in Trophic State Indicators in Two Northern California Reservoirs, 68-77
- Saiki, Michael K.: Environmental Conditions and Fish Faunas in Low Elevation Rivers on the Irrigated San Joaquin Valley Floor, California, 145-157
- Shellhammer, Howard S.: Identification of Salt Marsh Mice, *Reithrodontomys raviventris*, in the Field and with Cranial Characteristics, 113-120
- Siegfried, Clifford A.: The Benthos of a Eutrophic Mountain Reservoir: Influence of a Reservoir Level on Community Composition, Abundance, and Production, 39-52
- Siegfried, Clifford A., and Mark E. Kopache: Zooplankton Dynamics in a High Mountain Reservoir of Southern California, 16-38
- Smith, Steven A., and Warren J. Houck: Three Species of Sea Turtles Collected from Northern California, 60-62
- Snyder, Randal J.: Seasonal Variation in the Diet of the Threespine Stickleback, *Gasterosteus aculeatus*, in Contra Costa County, California, 167-172
- Thomson, Donald A.: see McCourt and Thomson, 234-239
- Van Dykhuizen, Gilbert: see Lea, Keating, Van Dykhuizen, and Lehtonen, 250-251
- Van Kirk, Robert R.: see Kershner and Van Kirk, 196-209
- Van Vuren, Dirk: Diurnal Activity and Habitat Use by Feral Pigs on Santa Cruz Island, California, 140-144
- Vigg, Steven: see Cooper and Vigg, 190-192
- Vladykov, Vadim D., and Edward Kott: A Second Record for California and Additional Morphological Information on *Entosphenus hubbsi* Vladykov and Kott 1976 (Petromyzontidae), 121-127
- Vondracek, Bruce: see Marrin, Erman, and Vondracek, 4-10
- Week, Larry E.: Age and Growth of Florida Largemouth Bass, *Micropterus salmoides floridanus*, in Hidden Valley Reservoir, Lake County, California, 59-60
- Wendell, Frederick E., Jack A. Ames, and Robert A. Hardy: Pup Dependency Period and Length of Reproductive Cycle: Estimates from Observations of Tagged Sea Otters, *Enhydra lutris*, in California, 89-100
- Wicksten, Mary K.: Distributions of Some Common Decapod Crustaceans and a Pycnogonid from the Continental Shelf of Northern California, 132-139
- Yoklavich, Mary M.: see Boehlert and Yoklavich, 210-224

SUBJECT

- Bass, Florida largemouth: Age and growth of, in Hidden Valley Reservoir, California, 18-38
- Bass, striped: Ecological status in Upper Newport Bay, California, 180-182; Extreme mercury concentrations of, in Lahontan Reservoir, Nevada, 190-192
- Bears, black: Surgical Implantations of radiotelemetry devices in, 163-166
- Benthos: Of a eutrophic reservoir, 39-52
- Deer, black-tailed: Tick paralysis of, 11-17; Comparative condition of two herds in Trinity County, California, 78-88; Food habits of, in Trinity County, California, 183-186
- Deer, mule: Distribution and taxonomic affinities of, from Anza-Borrego Desert State Park, California, 53-57; Effects of cattle grazing on, 240-247; Mortality of, at a drying reservoir, 248-249
- Goosefishes: Records of, 250-251
- Klamath River: Characteristics and attitudes of anglers on, 196-209
- Lamprey, freshwater: Occurrence and morphology, 121-127
- Lamprey, Pacific: Repeat spawning by, 186-188
- Limnology: Variation in reservoir parameters: 68-77
- Mice, salt marsh harvest: Identification of, 113-120
- Otters, sea: Pup dependency and length of reproductive cycle, 89-100; Population estimates from air and ground counts, 225-233
- Pigs, feral: Diurnal activity and habitat use on Santa Cruz Island, California, 140-144

- Pycnogonid: Distributions of, from the Continental Shelf of Northern California, 132-139
 Rat, California kangaroo: In Sierra Valley, California, 58
 Remote sensing: Applications to wildlife habitat inventories, 101-112
 Rockfish: Variability in age estimates, 210-224
 Rockfish, black-and-yellow: Relocation of original territories, from Carmel Bay, California, 158-162
 San Joaquin Valley: Environmental conditions and fish faunas, 145-157
 Seal, northern fur: Found in the Sacramento-San Joaquin Delta, 189
 Sergeant major: Cleaning behavior of, 234-239
 Sharks, white: Attacks on divers in Chile, 173-179
 Stickleback, threespine: Seasonal variation in the diet of, in Contra Costa County, California, 167-172
 Sucker, Tahoe: Food habits and growth of, 4-10
 Ticks: Parasitizing wildlife in California, 11-17
 Tuna, bluefin: Biochemical identification establishes a new California size record, 62-64
 Turtles, sea: Three species collected from Northern California, 60-62
 Wildlife habitat: Inventories through remote sensing and computer technologies, 101-112
 Zooplankton: Dynamics of, in Big Bear Lake, California, 18-38

SCIENTIFIC NAMES

- Abudefduf troschelii: 234-239
 Anchoa compressa: 181
 Asterionella formosa: 70
 Callorhinus ursinus: 189
 Cancer anthonyi: 132-139
 Cancer magister: 134-139
 Canis latrans: 246
 Carcharodon carcharias: 173-179
 Catostomus occidentalis: 150
 Catostomus tahoensis: 4-10
 Ceriodaphnia quadrangula: 18-38
 Cervus elaphus: 83
 Cervus nippon: 83
 Chelonia mydas: 60-62
 Chironomus plumosus: 39-52
 Chydorus sphaericus: 25
 Crangon alaskensis: 132-139
 Crangon spinosissima: 132-139
 Cyclops vernalis: 34-36
 Daphnia pulicaria: 18-38
 Dermacentor albipictus: 11-17
 Dermacentor andersoni: 816
 Dermacentor hunteri: 12-13
 Dermacentor occidentalis: 11-17
 Dermacentor parumapertus: 12
 Dermacentor variabilis: 11-17
 Diaptomus franciscanus: 18-21, 32-38
 Dinobryan sertularia: 70
 Dipodomys californicus: 58
 Enhydra lutris gracilis: 90
 Enhydra lutris lutris: 89-100, 225-233
 Entosphenus folletti: 126
 Entosphenus hubbsi: 121-127
 Entosphenus tridentatus: 123-127
 Eucyclops agilis: 36
 Felis concolor: 11-14
 Galeocерdo cuvier: 175
 Gammarus lacustris: 5-6
 Gasterosteus aculeatus: 145-157, 167-172
 Gopherus agassizii: 11-13
 Hyalella azteca: 43
 Hyporhamphus sp.: 234-239
 Hysteroecarpus traski: 145-157
 Hysypops rubicunda: 158
 Isurus oxyrinchus: 177
 Ixodes neotomae: 11-14
 Ixodes pacificus: 15-17
 Ixodes sculptus: 11-15
 Ixodes texanus: 11-15
 Keratella cochlearis: 18-23
 Lampetra tridentatus: 186-188
 Lavinia exilicauda: 155
 Lepidochelys olivacea: 60-62
 Lepomis cyanellus: 145-154
 Lepomis microlophus: 145-157
 Lophiodes caulinaris: 250
 Lophiodes spilurus: 250
 Macrocyclus albidus: 36
 Martes americana: 11-13
 Menidia beryllina: 145-157
 Microlepidotus inornatus (Gill): 234-239
 Micropterus salmoides: 150
 Micropterus salmoides floridanus: 59-60
 Micropterus salmoides salmoides: 59-60
 Morone saxatilis: 145-157, 180-182, 190-192
 Mugil cephalus: 181, 234-239
 Mylopharodon conocephalus: 145-157
 Neotoma lepida: 12
 Neotoma sp.: 11-13
 Nymphon pixellae: 132-139

- Odocoileus hemionus*: 12, 53-57, 83-85
Odocoileus hemionus californicus: 246, 248-249
Odocoileus hemionus columbianus: 11-12, 78-88, 183-186
Odocoileus hemionus eremicus: 53-57
Odocoileus hemionus fuliginatus: 53-57, 240-247
Odocoileus virginianus: 81-83
Oligocattus maculosus: 158
Onchorynchus tschawytsha: 197
Oregonia gracilis: 132-139
Ornithodoros parkeri: 11-15
Orthodon microlepidotus: 145-157
Othocyclops modestus: 36
Ovis canadensis: 12
Pagurus armatus: 132-139
Panalabrax maculatofasciatus: 181
Pandalus danae: 132-139
Pandalus jordani: 132-139
Paralichthys californicus: 181
Pogonichthys macrolepidotus: 145-157
Pomoxis annularis: 145-157
Pomoxis nigromaculatus: 154
Procladius bellus: 39-52
Procyon lotor: 15
Protymyzon marinus: 187
Ptychocheilus grandis: 145-157
Reithrodontomys raviventris: 113-120
Reithrodontomys raviventris halicoetes: 113-120
Reithrodontomys raviventris megalotis: 113-120
Reithrodontomys raviventris raviventris: 113-120
Scomberomorus sierra: 225
Sebastes carnatus: 159
Sebastes chrysomelas: 158-162
Sebastes diploproa: 210-224
Sebastes flavidus: 158
Sebastes mystinus: 158
Sebastes pinniger: 210-224
Sicyonia ingentis: 132-139
Spermophilus spp.: 15
Spirontocaris holmesi: 132-139
Spirontocaris lamellicornis: 132-139
Strongylura sp.: 235
Sus scrofa: 140-144
Sylvilagus nuttalli grangeri: 12
Thunnus alalunga: 63-64
Thunnus albacares: 62-64
Thunnus obesus: 62-64
Thunnus thynnus: 62-64
Umbrina roncadore: 181
Urocyon cinereoargenteus: 11-14
Ursus americanus: 163-166

